Issued: 10/10/2006 Revised: 09/11/2018 Revision No: 4

# MATERIAL SAFETY DATA SHEET BRITLOCK / BRITSLATE ROOF TILES



## 1. IDENTIFICATION OF PRODUCT AND COMPANY INFORMATION

Product name: Britlock / Britslate

Other names: Reconstituted slate products

Product code: Various

Company Name: Sandtoft Roof Tiles Limited

Belton Road Sandtoft Doncaster South Yorkshire DN8 5SY

Tel: +44 (0) 870 1452020 (Customer Support)

Fax: +44 (0) 870 1452019 www.sandtoft.com

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: Crystalline Silica (Quartz Si02)

CAS: 14808-60-7 EINECS: 238-878-4 Content: Variable 5-25%

Other ingredients: Thermoset Polyester Plastic

Admixtures & Pigments

#### 3. HAZARD IDENTIFICATION

Sandtoft's reconstituted slate products present little or no inherent human health hazard. Risks to human health may arise when products are reworked, liberating dust (which contains a proportion of free crystalline silica) in a form which is respirable. Reworking of products with power tools may cause thermal decomposition of the product due to friction.

# 4. FIRST AID MEASURES

Skin contact: Wash hands with soap and water to remove dust and particles. Use of a hand cream may help if skin is dry or abraded.

**Eye contact:** Bathe the eye with clean, cool, running water for 15 minutes, lifting eyelid often to flush trapped particles. If irritation persists seek medical advice.

Ingestion: Wash out mouth and throat with water and expel liquid. If irritation persists seek medical advice.

**Inhalation:** If discomfort or irritation occurs, remove to fresh air and blow nose to expel dust. If irritation persists, seek medical advice. If breathing is laboured, seek medical attention immediately.

## 5. FIRE FIGHTING MEASURES

Extinguishing Media: Water, ABC Powder, Foam, Carbon Dioxide

Thermal decomposition may produce acrid smoke. Full protective equipment, including self contained breathing apparatus is recommended.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of MSDS for personal protection details.

Clean-up procedures: Clean up dust by vacuum fitted with a high efficiency filter or use wet clean up method.

#### 7. HANDLING AND STORAGE

Handling requirements: No special handling requirements. Carry out risk assessment as appropriate.

Storage conditions: Refer to Sandtoft's safe stacking recommendations

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Workplace Exposure Limits: Crystalline Silica (Quartz Si02)

Long-term WEL (8-Hour TWA reference period): **0.1 mg/m³** (Figures from EH40 2006, Third Edition 2018)

Engineering measures: Where production of significant dust is likely, use a wet cut method or local exhaust ventilation.

Respiratory protection: If engineering controls are insufficient, a suitable approved particulate respirator must be worn.

Hand protection: Abrasion and cut resistant gloves.

Eye protection: Suitable safety goggles.

Skin protection: Suitable overalls as necessary.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Solid

Colour: Slate Grey

Odour: None

Solubility in water: Insoluble

Flash point: N/A

Melting Point: N/A

#### 10. STABILITY AND REACTIVITY

Sandtoft's reconstituted slate products are stable and non-reactive

#### 11. TOXICOLOGICAL INFORMATION

**Skin contact:** Unlikely to cause significant effects. After repeated handling, the abrasive texture and sharp edges of products may cause some irritation.

Eye contact: Unlikely to cause significant effects. Nuisance dust may cause some mild irritation to the eyes.

Ingestion: Unlikely to cause significant effects. Nuisance dust may cause some mild irritation of the throat.

**Inhalation:** If product is in an inhalable or respirable form, exposure may result in irritation to the respiratory tract. If exposure is very large, then acute silicosis may occur, characterised by progressively laboured breathing. Chronic exposure to respirable crystalline silica in humans is associated with impairment of lung function. Reduced lung function may occur because of an increase in fibrotic tissue (silicosis), atrophy of gas exchange surfaces (emphysema) or airway obstruction (bronchiolitis). The U.K. Health and Safety Executive indicates "there is sufficient evidence to indicate that RCS (Respirable Crystalline Silica) can cause lung cancer in humans". ACTS/35/2004

## 12. ECOLOGICAL INFORMATION

No ecotoxicity.

### 13. DISPOSAL CONSIDERATIONS

Dispose of solid waste in accordance with local and national regulations.

Dust should be sealed in an appropriate bag or container and disposed of as hazardous waste.

## 14. TRANSPORT INFORMATION

**UN Number:** Non assigned

ADR /RID: Not classified IMDG / IMO: Not classified IATE / ICAO: Not classified

## 15. REGULATORY INFORMATION

Labelling information: Non required

R Phrases: N/A S Phrases: N/A

# 16. OTHER INFORMATION

MSDS Data revised 10<sup>th</sup> October 2006 MSDS Data reviewed 9<sup>th</sup> November 2018

Prepared by Wienerberger Limited - Health, Safety & Environment Department

The information in this safety data sheet was obtained from reputable sources and to the best of our knowledge is accurate and current at the aforementioned date.

Sandtoft Roof Tiles Limited accepts no liability arising out of the use of the information provided or the use, application or processing of the product(s) described herein.